




PRU Power resistor cabinet

● Features

- 1、 PRU series is resistor cabinet that is made up of Wire Wound Resistors
- 2、 It can be applied to the power loss braking circuits for inverters of braking equipment, testing equipment, elevator and crane with large rated power and operating current.
- 3、 Power Range: 20KW-200KW
- 4、 Voltage Range: 0.5KV—10KV
- 5、 Resistance Range: 0.5R-100R
- 6、 Dielectric Strength: AC2.5KV-30KV/1min 50Hz optional
- 7、 IP Protection: IP20-IP23 optional
- 8、 Vibration: 0.5g
- 9、 Temperature Rise: 375°C
- 10、 Temperature Coefficient: 80-400 PPM/°C
- 11、 Resistor Material: 0Cr25AL5/Ni80Cr20 optional
- 12、 Advantage: High Voltage Application, high power
- 13、 Disadvantage: Less Vibration

● Dimension



Type	Power (KW)	Dimensions(mm)						Terminal	Cable (mm ²)	Combination
		W	D	H	H1	D1	W1			
PRU	10	700	500	700	785	342	615	M6	10	4×2.5KW
PRU	20	700	500	700	785	342	615	M6	10	8×2.5KW
PRU	30	700	500	900	985	342	615	M6	16	12×2.5KW
PRU	40	700	500	1100	1185	342	615	M6	25	16×2.5KW
PRU	50	700	500	1300	1385	342	615	M6	25	20×2.5KW
PRU	60	700	500	1500	1585	342	615	M6	35	24×2.5KW
PRU	70	700	500	1700	1785	342	615	M6	35	28×2.5KW
PRU	80	700	500	1800	1885	342	615	M6	50	32×2.5KW
PRU	90	700	500	2000	2085	342	615	M6	50	36×2.5KW
PRU	100	700	500	2000	2085	342	615	M6	50	40×2.5KW
PRU	120	700	500	2200	2285	342	615	M6	50	48×2.5KW
PRU	200	1400	500	2000	2085	342	615	M6	75	2×100KW

For more information, please consult our engineer: kwx@kwxcom.com